



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

1 of 1

Gelato 45 Snowballs (3)

Sample ID: 2607NBL1296.3515

Matrix: Plant

Type: Flower - Uncured

Sample Size:

Date Collected:

Received: 07/21/2026

Completed: 07/22/2026

Expires: 07/22/2027

External Lot ID:

Batch#: 070758971

Client

Bay Smokes



Summary

Test
Cannabinoids

Date Tested
07/21/2026

Result
Complete

Cannabinoids

Complete

20.489%

Total Δ9-THC

0.259%

Δ9-THC

ND

Total CBD

23.643%

Total Cannabinoids

Analyte	LOD	LOQ	Result	Result
	%	%	%	mg/g
(6aR,9R)-d10-THC	0.0481	0.072	ND	ND
9R-HHC	0.0481	0.072	ND	ND
(6aR,9S)-d10-THC	0.0481	0.072	ND	ND
9S-HHC	0.0481	0.072	ND	ND
CBC	0.0481	0.072	ND	ND
CBCa	0.0481	0.072	0.090	0.89832
CBD	0.0481	0.072	ND	ND
CBDa	0.0481	0.072	ND	ND
CBDV	0.0481	0.072	ND	ND
CBDVa	0.0481	0.072	ND	ND
CBG	0.0481	0.072	<LOQ	<LOQ
CBGa	0.0481	0.072	0.226	2.26213
CBN	0.0481	0.072	ND	ND
CBNa	0.0481	0.072	ND	ND
Δ8-THC	0.0481	0.072	ND	ND
Δ9-THC	0.0481	0.072	0.259	2.58571
THCa	0.0481	0.072	23.068	230.68005
THCp	0.0481	0.072	ND	ND
THCV	0.0481	0.072	ND	ND
THCVa	0.0481	0.072	ND	ND
Total THC			20.489	204.89211
Total CBD			ND	ND
Total			23.643	236.42620

Date Tested: 07/21/2026

Testing Method: HPLC-UV, CON-P-3000; Validation Date: 05/2019.

Total Δ9-THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection; ND = Not Detected; The decision rule is employed; the uncertainty measurement is not included in the reported result. The values for Measurement Uncertainty are available upon request.



Ashley N Phillips

Ashley Phillips
Laboratory Director
07/22/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.